



BULLETIN

OF THE

New York State Museum

FREDERICK J. H. MERRILL Director

No. 33 Vol. 7

April 1900

CHECK LIST

OI

NEW YORK BIRDS

By MARCUS S. FARR D.Sc.

ALBANY
UNIVERSITY OF THE STATE OF NEW YORK

1900

M65m-F0-1500

Price 25 cents



University of the State of New York

REGENTS

With years of election

1874 Anson Judd Upson L.H.D. D.D. LL.D.
Chancellor, Glens Falls
1892 WILLIAM CROSWELL DOANE D.D. LL.D.
Vice-Chancellor, Albany
1873 MARTIN I. TOWNSEND M.A. LL.D Troy
1877 CHAUNCEY M. DEPEW LL.D New York
1877 CHARLES E. FITCH LL.B. M.A. L.H.D Rochester
1877 ORRIS H. WARREN D.D Syracuse
1878 WHITELAW REID LL.D New York
1881 WILLIAM H. WATSON M.A. M.D Utica
1881 HENRY E. TURNER Lowville
1883 ST CLAIR MCKELWAY L.H.D. LL.D. D.C.L Brooklyn
1885 HAMILTON HARRIS Ph.D. LL.D Albany
1885 DANIEL BEACH Ph.D. LL.D Watkins
1888 CARROLL E. SMITH LL.D Syracuse
1890 PLINY T. SEXTON LL.D Palmyra
1890 T. GUILFORD SMITH M.A. LL.D. C.E Buffalo
1893 LEWIS A. STIMSON B.A. M.D New York
1895 Albert Vander Veer Ph.D. M.D Albany
1895 CHARLES R. SKINNER M.A. LL.D.
Superintendent of Public Instruction, ex officio
1897 CHESTER S. LORD M.A. LL.D Brooklyn
1897 TIMOTHY L. WOODRUFF M.A. Lieutenant-Governor, ex officio
1899 THEODORE ROOSEVELT B.A. LL.D. Governor, ex officio
1899 JOHN T. McDonough LL.B. LL.D. Secretary of State, ex officio
1900 THOMAS A. HENDRICK M. A Rochester

SECRETARY

Elected by regents

1900 James Russell Parsons Jr M.A.

DIRECTORS OF DEPARTMENTS

1888 MELVIL DEWEY M.A. State library and Home education

1890 James Russell Parsons Jr M.A.

Administrative, College and High school dep'ts

1890 FREDERICK J. H. MERRILL Ph.D. State museum

BULLETIN

OF THE

New York State Museum

FREDERICK J. H. MERRILL Director

No. 33 Vol. 7

April 1900


CHECK LIST

OF

NEW YORK BIRDS

By MARCUS S. FARR D. Sc.

ALBANY
UNIVERSITY OF THE STATE OF NEW YORK
1900



PREFACE

This list was originally prepared for use in collecting data for a bulletin on the birds of New York, but, inasmuch as no check list of the birds of the entire state is available for the student of our avi-fauna, it has been thought advisable to publish it in this form, hoping that it may be of some use to students in ornithology and serve as a convenient means of keeping notes on the various species.

My purpose has been to include all the birds known to occur or to have occurred in our state, and only those forms have been admitted that have actually been taken in New York. Thus the list contains not only our regular summer and winter residents and migrants, but also those that occur as irregular visitants or stragglers. A number of the species recorded have been taken only once or twice in the state and this is in nearly every case indicated in a foot note with the proper reference. It is believed that nearly, if not quite all the birds of our state, that have been recorded, are included; but for any corrections or additions the author will be grateful.

The list is divided into two parts, the first containing those birds that have actually been taken in New York, the second including those of which we have no satisfactory state records, but which, having been taken in adjoining states, may be looked for in New York.

Strict adherence is given to the nomenclature of the American ornithologists union check list of 1895 and the supplements of January 1897 and 1899. The number of the species in this list is followed by the American ornithologists union number in parentheses or brackets, and as the pamphlet is designed for the use of students rather than advanced workers, the common name is given first.

My obligations are due to Dr F. J. H. Merrill, whose kind aid and criticism have been a source of inspiration in my work. Also to Dr J. A. Allen and Mr William Dutcher of New York, Dr William Brewster of Cambridge, and Dr A. W. Butler of Indianapolis, who have been so kind as to give me notes and suggestions on several species.

MARCUS S. FARR
Assistant zoologist

New York state museum 8 Feb. 1900



CHECK LIST OF NEW YORK BIRDS

PART I

Order Pygopodes Diving birds

Family PODICIPIDAE Grebes

1 (2) Holboell's grebeColymbus holboellii (Reinh.)

2 (3) Horned grebe Colymbus auritus Linn.

3 (6) Pied-billed grebe Podilymbus podiceps (Linn.)

Family GAVIIDAE Loons

4 (7) Loon
Gavia imber (Gunn.)

5 (9) Black-throated loon¹ Gavia artica (Linn.)

6 (11) Red-throated loon
Gavia lumme (Gunn.)

Family ALCIDAE Auks, murres and puffins

7 (13) Puffin
Fratercula arctica (Linn.)

8 (27) Black guillemot Cepphus grylle (Linn.) 9 (31) Brünnich's murre Uria lomvia (Linn.)

10 (32) Razor-billed auk Alca torda Linn.

11 (34) Dovekie Alle alle (Linn.)

Order Longipennes Long-winged swimmers

Family STERCORARIIDAE Skuas and jaegers

12 (35) Skua¹
Megalestris skua (Brünn.)

¹ Long Island record, Auk, 3:432-33. Niagara river, spring of 1886. See Auk, 6:331; also Bergtold's List of the birds of Buffalo and vicinity, p. 3.

13 (36) Pomarine jaeger Stercorarius pomarinus (Temm.)

14 (37) Parasitic jaeger Stercorarius parasiticus (Linn.)

15 (38) Long-tailed jaeger Stercorarius longicaudus Vieill.

Family LARIDAE Gulls and terns

16 (39) Ivory gull¹
Pagophila alba (Gunn.)

.

.

17 (40) Kittiwake Rissa tridactyla (Linn.)

18 (42) Glaucous gull
Larus glaucus Brünn.

19 (43) Iceland gull
Larus leucopterus Faber

20 (47) Great black-backed gull Larus marinus Linn.

21 (51) Herring gull¹
Larus argentatus Brünn.

22 (51a) American herring gull
Larus argentatus smithsonianus Coues

23 (54) Ring-billed gull
Larus delawarensis Ord

24 (58) Laughing gull
Larus atricilla Linn.

¹ Dr J. A. Allen writes me that this species is occasional in winter in Long Island sound and adjacent waters, and that several specimens taken in that locality and referable to this form have come under his observation.

25 (60) Bonaparte's gull
Larus philadelphia (Ord)

26 [60.1] Little gull¹
Larus minutus Pall.

27 (62) Sabine's gull² Xema sabinii (Sab.)

28 (63) Gull-billed tern Gelochelidon nilotica (Hasselq.)

¹ There is one American record of the occurrence of this European species. It was taken at Fire Island, Long Island. See Auk, 1888, 5: 172.

² An arctic form. Two Long Island records. See Giraud's Birds of Long Island, 1844, p. 363; Baird, Brewer & Ridgway's Water birds, 2:272; Auk, 1900, 17:63.

29 (64) Caspian tern Sterna caspia Pallas

30 (65) Royal tern Sterna maxima Bodd.

31 [68] Trudeau's tern¹
Sterna trudeaui Aud.

32 (69) Forster's tern Sterna forsteri Nutt.

¹ One representative of this South American bird has been recorded from Long Island. See Aud. Orn. biog. 5:125; Aud. Syn. birds N. A., p. 319; Giraud's Birds of Long Island, p. 354; Baird, Brewer & Ridgway's Water birds, 2:291,

33 (70) Common tern Sterna hirundo Linn

34 (71) Arctic tern Sterna paradisaea Brünn.

35 (72) Roseate tern Sterna dougalli Montag.

36 (74) Least tern Sterna antillarum (Less.) 37 (75) Sooty tern Sterna fuliginosa Gmel.

38 (77) Black tern Hydrochelidon nigra surinamensis (Gmel.)

Family RYNCHOPIDAE Skimmers

39 (80) Black skimmer Rynchops nigra Linn.

Order Tubinares Tube-nosed swimmers

Family PROCELLARIIDAE Fulmars and shearwaters

40 (88) Cory's shearwater
Puffinus borealis Cory

41 (89) Greater shearwater
Puffinus gravis (O'Reilly)

42 (92) Audubon's shearwater Puffinus auduboni Finsch

43 (94) Sooty shearwater
Puffinus fuliginosus Strickland

44 [98] Black-capped petrel¹
Aestrelata hasitata (Kuhl)

¹ Long Island record, Ann. lyc. nat. hist. N. Y., 5: 220. Also Oneida lake and Ulster co. records, Auk, 11: 162-63; 12:179.

45 [99] Scaled petrel¹
Aestrelata scalaris Brewst.

46 (106) Leach's petrel
Oceanodroma leucorhoa (Vieill.)

47 (109) Wilson's petrel
Oceanites oceanicus (Kuhl)

Order Steganopodes Totipalmate swimmers

Family PHAËTHONTIDAE Tropic birds

48 (112) Yellow-billed tropic bird²
Phaëthon americanus Grant

¹ The single specimen taken in Livingston co. in 1880 is unique, as it has not been taken elsewhere. See $Bul.\ Nutt.\ orn.\ club,\ 6:91-97;\ Auk,\ 11:389-93.$

² This tropical form has once been taken at Knowlesville, Orleans co. See Bul. Nutt. orn. club, 5:63. See also Short's Birds of western New York. Also Langille's, Our birds in their haunts, p. 615. One other state record. See Maynard's Birds of eastern North America, 1881, p. 474

Family SULIDAE Gannets

49 (115) Booby¹
Sula sula (Linn.)

50 (117) Gannet Sula bassana (Linn.)

Family PHALACROCORACIDAE Cormorants

51 (119) Cormorant
Phalacrocorax carbo (Linn.)

52 (120) Double-crested cormorant
Phalacrocorax dilophus (Swain.)

¹ Accidental on Moriches bay, Long Island. See Auk, 10:271.

Family PELECANIDAE Pelicans

53 (125) American white pelican
Pelecanus erythrorhynchos Gmel.

Family FREGATIDAE Man-o'-war birds
54 (128) Man-o'-war bird¹
Fregata aquila Linn.

Order Anseres Lamellirostral swimmers
Family ANATIDAE Ducks, geese and swans

55 (129) American merganser
Merganser americanus (Cass.)

56 (130) Red-breasted merganser Merganser serrator (Linn.) 57 (131) Hooded merganser Lophodytes cucullatus (Linn.)

58 (132) Mallard
Anas boschas Linn.

59 (133) Black duck Anas obscura Gmel.

60 (135) Gadwall
Chaulelasmus streperus (Linn.)

61 (136) Widgeon

Mareca penelope (Linn.)

62 (137) Baldpate
Mareca americana (Gmel.)

63 (139) Green-winged teal Nettion carolinensis (Gmel.)

64 (140) Blue-winged teal
Querquedula discors (Linn.)

65 (142) Shoveller Spatula clypeata (Linn.)

66 (143) Pintail
Dafila acuta (Linn.)

67 (144) Wood duck Aix sponsa (Linn.)

68 [145] Rufous-crested duck¹ Netta rufina (Pall.)

¹ This European species is known in the United States only by one specimen found in Fulton market, New York, and supposed to have been shot on Long Island. See Bul. Nutt. orn. club, 6:173; also Proc. U. S. nat. mus. 1881, p. 22-24.

69 (146) Redhead Aythya americana (Eyt.)

70 (147) Canvas-back Aythya vallisneria (Wils.)

71 (148) American scaup duck Aythya marila (Linn.)

72 (149) Lesser scaup duck Aythya affinis (Eyt.) 73 (150) Ring-necked duck Aythya collaris (Donov.)

74 (151) American golden-eye
Clangula clangula americana Faxon

75 (152) Barrow's golden-eye Clangula islandica (Gmel.)

76 (153) Buffle-head Charitonetta albeola (Linn.) 77 (154) Old-squaw Harelda hyemalis (Linn.)

78 (155) Harlequin duck Histrionicus histrionicus (Linn.)

79 (156) Labrador duck ¹
Camptolaimus labradorius (Gmel.)

80 (160) American eider Somateria dresseri Sharpe 81 (162) King eider Somateria spectabilis (Linn.)

82 (163) American scoter
Oidemia americana Swains.

83 (165) White-winged scoter Oidemia deglandi Bonap.

84 (166) Surf scoter
Oidemia perspicillata (Linn.)

85 (167) Ruddy duck Erismatura jamaicensis (Gmel.)

86 (169a) Greater snow goose
Chen hyperborea nivalis (Forst.)

87 (169.1) Blue goose Chen caerulescens (Linn.)

88 (171a) American white-fronted goose
Anser albifrons gambeli (Hartl.)

89 (172) Canada goose Branta canadensis (Linn.)

90 (172a) Hutchins's goose
Branta canadensis hutchinsii (Rich.)

91 (173) Brant Branta bernicla (Linn.)

92 (174) Black brant
Branta nigricans (Lawr.)

93 [175] Barnacle goose¹
Branta leucopsis (Bechst.)

94 (180) Whistling swan
Olor columbianus (Ord)

Order Herodiones Herons, ibises, etc.

Family IBIDIDAE Ibises

White this

95 (184) White ibis Guara alba (Linn.)

96 (186) Glossy ibis
Plegadis autumnalis (Hasselq.)

¹ One Long Island record of this European species. See Bul. Nutt. orn. club , 2:18.

and particular to the particular to the second seco

.

97 (187) White-faced glossy ibis ¹
Plegadis guarauna (Linn.)

Family CICONIIDAE Storks and wood ibises 98 (188) Wood ibis Tantalus loculator Linn.

Family ARDEIDAE Herons, bitterns, etc.
99 (190) American bittern
Botaurus lentiginosus (Montag.)

100 (191) Least bittern Ardetta exilis (Gmel.)

¹ There is a specimen (no. 205) of this species in the New York state museum, taken on Grand island, Niagara river, Aug. 1844. See 3d ann. rep't N. Y. state museum, p. 22; also Aub, 1887, 3:253-54.

101 (194) Great blue heron Ardea herodias Linn.

102 (196) American egret
Ardea egretta Gmel.

103 (197) Snowy heron
Ardea candidissima Gmel.

104 (199) Louisiana heron¹

Ardea tricolor ruficollis (Gosse)

¹ One Long Island record. See DeKay, 1842, p. 223. See also Giraud's Birds of Long Island, 1844, p. 281-82.

105 (200) Little blue heron
Ardea caerulea Linn.

106 (201) Green heron Ardea virescens Linn.

[107 (202) Black-crowned night heron
Nycticorax nycticorax naevius (Bodd.)

108 (203) Yellow-crowned night heron Nycticorax violaceus (Linn.) Order Paludicolae Cranes, rails, etc.

Family GRUIDAE Cranes

109 (204) Whooping crane¹
Grus americana (Linn.)

110 (206) Sandhill crane¹
Grus mexicana (Müll.)

Family RALLIDAE Rails, gallinules and coots

111 (208) King rail

Rallus elegans Aud.

112 (211) Clapper rail
Rallus crepitans Gmel.

¹ Historic in New York.

113 (212) Virginia rail Rallus virginianus Linn.

114 (214) Sora Porzana carolina (Linn.)

115 (215) Yellow rail
Porzana noveboracensis (Gmel.)

116 (216) Black rail
Porzana jamaicensis (Gmel.)

117 [217] Corn crake Crex crex (Linn.)

118 (218) Purple gallinule
Ionornis martinica (Linn.)

119 (219) Florida gallinule
Gallinula galeata (Licht.)

120 (221) American coot
Fulica americana Gmel.

Order Limicolae Shore birds

Family PHALAROPODIDAE Phalaropes

121 (222) Red phalarope
Crymophilus fulicarius (Linn.)

122 (223) Northern phalarope
Phalaropus lobatus (Linn.)

123 (224) Wilson's phalarope Steganopus tricolor Vieill.

Family RECURVIROSTRIDAE Avocets and stilts
124 (225) American avocet
Recurvirostra americana Gmel.

125 (226) Black-necked stilt
Himantopus mexicanus (Müll.)

Family SCOLOPACIDAE Snipes, sandpipers, etc.
226 (228) American woodcock
Philohela minor (Gmel.)

127 (230) Wilson's snipe Gallinago delicata (Ord)

128 (231) Dowitcher

Macrorhamphus griseus (Gmel.)

129 (232) Long-billed dowitcher

Macrorhamphus scolopaceus (Say)

130 (233) Stilt sandpiper
Micropalma himantopus (Bonap.)

131 (234) Knot Tringa canutus Linn.

132 (235) Purple sandpiper Tringa maritima Brünn. 133 (239) Pectoral sandpiper
Tringa maculata Vieill.

134 (240) White-rumped sandpiper Tringa fuscicollis Vieill

135 (241) Baird's sandpiper Tringa bairdii (Coues)

136 (242) Least sandpiper Tringa minutilla Vieill. 137 [243] Dunlin¹
Tringa alpina Linn.

138 (243a) Red-backed sandpiper
Tringa alpina pacifica (Coues)

139 (244) Curlew sandpiper²
Tringa ferruginea Briinn.

140 (246) Semipalmated sandpiper Ereunetes pusillus (Linn.)

¹ One Long Island record. See Auk, 10: 78.

² See Coues's, New England bird life, 2:224; Auk, 1884, 1:32-33.

141 (247) Western sandpiper
Ereunetes occidentalis Lawr.

142 (248) Sanderling
Calidris arenaria (Linn.)

143 (249) Mařbled godwit Limosa fedoa (Linn.)

144 (251) Hudsonian godwit Limosa haemastica (Linn. 145 (254) Greater yellow-legs
Totanus melanoleucus (Gmel.)

146 (255) Yellow-legs
Totanus flavipes (Gmel.)

147 (256) Solitary sandpiper Helodromas solitarius (Wils.)

148 (258) Willet
Symphemia semipalmata (Gmel.)

grame of the second

je v te vetove voje Postava

149 [260] Ruff ¹

Pavoncella pugnax (Linn.)

150 (261) Bartramian sandpiper Bartramia longicauda (Bechst.)

151 (262) Buff-breasted sandpiper
Tryngites subruficollis (Vieill.)

152 (263) Spotted sandpiper
Actitis macularia (Linn.)

¹ Long Island records. See Ann. lyc. nat. hist. N. Y. 5: 220.

153 (264) Long-billed curlew
Numenius longirostris Wils.

154 (265) Hudsonian curlew

Numenius hudsonicus Lath.

155 (266) Eskimo curlew

Numenius borealis (Forst.)

156 (H.L 11.1) European curlew¹
Numenius arquatus (Linn.)

^{.1} There is in the New York state museum, (no. 324 in coll.) one individual of this species believed to have been taken on Long Island in 1853 and we think the evidence is sufficient to warrant its being included in the list of birds actually taken in New York. See Auk, 9: 390-92.

Family CHARADRIIDAE Plovers

157^{*}[269] Lapwing¹ Vanellus vanellus (Linn.)

158 (270) Black-bellied plover Squatarola squatarola (Linn.)

159 (272) American golden plover Charadrius dominicus Müll.

160 (273) Killdeer
Aegialitis vocifera (Linn.)

161 (274) Semipalmated plover
Aeg'alitis semipalmata Bonap.

162 (277) Piping plover Aegialitis meloda (Ord)

163 (277a) Belted piping plover
Aegialitis meloda circumcincta Ridgw.

164 (280) Wilson's plover Aegialitis wilsonia (Ord) Family APHRIZIDAE Surf birds and turnstones

165 (283) Turnstone Arenaria interpres (Linn.)

Family HAEMATOPODIDAE Oyster-catchers

166 (286) American oyster-catcher Haematopus palliatus Temm.

Order Gallinae Gallinaceous birds

Family TETRAONIDAE Grouse, partridges, etc.

167 (289) Bob-white Colinus virginianus (Linn.)

168 (298) Canada grouse
Canachites canadensis (Linn.)

169 (300) Ruffed grouse Bonasa umbellus (Linn.)

170 (300a) Canadian ruffed grouse
Bonasa umbellus togata (Linn.)

171 (301) Willow ptarmigan¹
Lagopus lagopus (Linn.)

172 (306) Heath hen²
Tympanuchus cupido (Linn.)

¹ Watson, Lewis co. record. See Bul. Nutt. orn. club, 3: 41; 6: 233.

² Historic in New York state.

Family PHASIANIDAE Pheasants, etc.

173 (310a) Wild turkey¹
Meleagris gallopavo fera (Vieill.)

Order Columbae Pigeons

Family COLUMBIDAE Pigeons

174 (315) Passenger pigeon
Ectopistes migratorius (Linn.)

175 (316) Mourning dove

Zenaidura macroura (Linn.)

Order Raptores Birds of prey

Family CATHARTIDAE American vultures

176 (325) Turkey vulture

Cathartes aura (Linn.)

¹ Historic in New York state.

177 (326) Black vulture Catharista urubu (Vieill.)

Family FALCONIDAE Vultures, falcons, hawks, eagles, etc. 178 (327) Swallow-tailed kite
Elanoides forficatus (Linn.)

179 (331) Marsh hawk Circus hudsonius (Linn.)

180 (332) Sharp-shinned hawk Accipiter velox (Wils.) 181 (333) Cooper's hawk Accipiter cooperii (Bonap.)

182 (334) American goshawk Accipiter atricapillus (Wils.)

183 (337) Red-tailed hawk Buteo borealis (Gmel.)

184 (339) Red-shouldered hawk Buteo lineatus (Gmel.) 185 (342) Swainson's hawk¹
Buteo swainsoni Bonap.

186 (343) Broad-winged hawk
Buteo latissimus (Wils.)

187 (347a) American rough-legged hawk
Archibuteo lagopus sancti-johannis (Gmel.)

188 (349) Golden eagle Aquila chrysaëtos (Linn.) 189 (352) Bald eagle Haliaeetus leucocephalus (Linn.)

190 (353) White gyrfalcon¹
Falco islandus Brünn.

191 (354a) Gyrfalcon²
Falco rusticolus gyrfalco (Linn.)

192 (354b) Black gyrfalcon
Falco rusticolus obsoletus (Gmel.)

¹ One taken on Long Island in 1856. See Auk, 10: 274-75; Ann. lyc. nat. hist. N. Y. 8: 280.

² Long Island, fall of 1875.—Lawrence

193 (356) Duck hawk
Falco peregrinus anatum (Bonap.)

194 (357) Pigeon hawk Falco columbarius Linn

195 (360) American sparrow hawk Falco sparverius Linn.

196 (364) American osprey
Pandion haliaëtus carolinensis (Gmel.)

.

.

Family STRIGIDAE Barn owls

197 (365) American barn owl Strix pratincola Bonap.

Family BUBONIDAE Horned owls, etc.

198 (366) American long-eared owl Asio wilsonianus (Less.)

199 (367) Short-eared owl Asio accipitrinus (Pall.)

200 (368) Barred owl Syrnium nebulosum (Forst.) 201 (370) Great gray owl Scotiaptex cinerea (Gmel.)

202 (372) Saw-whet owl Nyctala acadica (Gmel.)

203 (373) Screech owl Megascops asio (Linn.)

204 (375) Great horned owl Bubo virginianus (Gmel. 205 (376) Snowy owl Nyctea nyctea (Linn.)

206 (377a) American hawk owl Surnia ulula caparoch (Müll.)

207 (378) Burrowing owl¹
Speotyto cunicularia hypogaea (Bonap.)

Order Psittaci Parrots, etc.

Family PSITTACIDAE Parrots

208 (382) Carolina paroquet²
Conurus carolinensis (Linn.)

¹ One New York record. See Forest and stream, 12 Aug. 1875, 5: 4.

² Historic in New York state.

Order Coccyges Cuckoos, etc.

Family CUCULIDAE Cuckoos, etc.

209 (387) Yellow-billed cuckoo Coccyzus americanus (Linn.)

210 (388) Black billed cuckoo Coccyzus erythrophthhalmus (Wils.)

Family ALCEDINIDAE Kingfishers

211 (390) Belted kingfisher Ceryle alcyon (1 inn.)

Order Pici Woodpeckers, etc.

Family PICIDAE Woodpeckers

212 (393) Hairy woodpecker Dryobates villosus (Linn.) 213 (394c) Downy woodpecker

Dryobates pubescens medianus (Swains.)

214 (400) Arctic three-toed woodpecker Picoides arcticus (Swains.)

215 (401) American three-toed woodpecker
Picoides americanus Brehm

216 (402) Yellow-bellied sapsucker
Sphyrapicus varius (Linn.)

217 (405a) Northern pileated woodpecker Ceophloeus pileatus abieticola Bangs

218 (406) Red-headed woodpecker

Melanerpes erythrocephalus (Linn.)

219 (409) Red-bellied woodpecker
Melanerpes carolinus (Linn.)

220 (412a) Northern flicker
Colaptes auratus luteus Bangs

Order Machrochires Goatsuckers, swifts, etc.

Family CAPRIMULGIDAE Goatsuckers, etc.

221 (417) Whip-poor-will
Antrostomus vociferus (Wils.)

222 (420) Nighthawk Chordeiles virginianus (Gmel.)

Family MICROPODIDAE Swifts

223 (423) Chimney swift
Chaetura pelagica (Linn.)

Family TROCHILIDAE Hummingbirds

224 (428) Ruby-throated hummingbird Trochilus colubris Linn.

And the supplied of the suppli

to an area of the control of

. 1

Order Passeres Perching birds
Family TYRANNIDAE Tyrant flycatchers

225 (444) Kingbird
Tyrannus tyrannus (Linn.)

226 (447) Arkansas kingbird Tyrannus verticalis Say

227 (452) Crested flycatcher
Myiarchus crinitus (Linn.)

228 (456) Phoebe Sayornis phoebe (Lath.) 229 (459) Olive-sided flycatcher Contopus borealis (Swains.)

230 (461) Wood pewee Contopus virens (Linn.)

231 (463) Yellow-bellied flycatcher Empidonax flaviventris Baird

232 (465) Green-crested flycatcher Empidonax virescens (Vieill.)

.

Constitution to the second

Contract Con

, .

233 (466a) Alder flycatcher Empidonax traillii alnorum Brewst.

234 (467) Least flycatcher Empidonax minimus Baird

Family ALAUDIDAE Larks

235 (474) Horned lark Otocoris alpestris (Linn.)

236 (474b) Prairie horned lark
Otocoris alpestris praticola Hensh.

No.

. .

HARLES TO STATE OF THE STATE OF

. . .

Family CORVIDAE Crows, jays, magpies, etc.

237 (477) Blue jay Cyanocitta cristata (Linn.)

238 (484) Canada jay
Perisoreus canadensis (Linn.)

239 (486a) Northern raven

Corvus corax principalis Ridgw.

240 (488) American crow Corvus americanus Aud. Control of the Contro

`

in the section of the

The second control was a second control of

.

241 (490) Fish crow Corvus ossifragus Wils.

Family ICTERIDAE Blackbirds, orioles, etc.

242 (494) Bobolink Dolichonyx oryzivórus (Linn.)

243 (495) Cowbird

Molothrus ater (Bodd.)

244 (498) Red-winged blackbird Agelaius phoeniceus (Linn.) 245 (501) Meadowlark
Sturnella magna (Linn.)

246 (506) Orchard oriole

Icterus spurius (Linn.)

247 (507) Baltimore oriole Icterus galbula (Linn.)

248 (509) Rusty blackbird
Scolecophagus carolinus (Müll.)

249 (511) Purple grackle

Quiscalus quiscula (Linn.)

250 (511b) Bronzed grackle

Quiscalus quiscula aeneus (Ridgw.)

Family FRINGILLIDAE Finches, sparrows, etc.

251 (514) Evening grosbeak
Coccothraustes vespertinus (Coop.)

252 (515) Pine grosbeak
Pinicola enucleator canadensis (Cab.)

253 (517) Purple finch Carpodacus purpureus (Gmel.)

254 (521) American crossbill

Loxia curvirostra minor (Brehm)

255 (522) White-winged crossbill Loxia leucoptera Gmel.

256 (528) Redpoll
Acanthis linaria (Linn.)

257 (528b) Greater redpoll
Acanthis linaria rostrata (Coues)

258 (529) American goldfinch Astragalinus tristis (Linn.)

259 (533) Pine siskin Spinus pinus (Wils.)

260 (534) Snowflake
Passerina nivalis (Linn.)

261 (536) Lapland longspur Calcarius lapponicus (Linn.)

262 (538) Chestnut-collared longspur¹ Calcarius ornatus (Towns.)

263 (540) Vesper sparrow
Pooecetes gramineus (Gmel.)

264 (541) Ipswich sparrow
Ammodramus princeps (Mayn.)

265 (542a) Savanna sparrow
Ammodramus sandwichensis savanna (Wils.)

266 (546) Grasshopper sparrow
Ammodramus savannarum passerinus (Wils.)

267 (547) Henslow's sparrow Ammodramus henslowii (Aud.)

268 (548) Leconte's sparrow¹
Ammodramus leconteii (Aud.)

¹ This is included on the authority of Mr Louis Agassiz Fuertes, who reports the capture of a young bird of this species at Ithaca, 11 Oct. 1897. See Auk, 1898, 15: 188-89.

A second of the second of the

and the second second second second second

269 (549) Sharp-tailed sparrow
Ammodramus caudacutus (Gmel.)

270 (549.1) Nelson's sparrow Ammodramus nelsoni (Allen)

271 (549.1a) Acadian sharp-tailed sparrow

Ammodramus nelsoni subvirgatus (Dwight)

272 (550) Seaside sparrow
Ammodramus maritimus (Wils.)

fulir Latin

in American

273 (552) Lark sparrow
Chondestes grammacus (Say)

274 (554) White-crowned sparrow Zonotrichia leucophrys (Forst.)

275 (558) White-throated sparrow Zonotrichia albicollis (Gmel.)

276 (559) Tree sparrow Spizella monticola (Gmel.) 277 (560) Chipping sparrow Spizella socialis (Wils.)

278 (563) Field sparrow Spizella pusilla (Wils.)

279 (567) Slate-colored junco Junco hyemalis (Linn.)

280 (581) Song sparrow
Melospiza fasciata (Gmel.)¹

¹ Oberholser has recently shown that the species name fasciata is untenable for this form and that melodia should be adopted. See Auk, 16: 182-83.

,

And the second s

281 (583) Lincoln's sparrow Melospiza lincolnii (Aud.)

282 (584) Swamp sparrow
Melospiza georgiana (Lath.)

283 (585) Fox sparrow
Passerella iliaca (Merr.)

284 (587) Towhee
Pipilo er ythrophthalmus (Linn.)

285 (593) Cardinal

Cardinalis cardinalis (Linn.)

286 (595) Rose-breasted grosbeak Zamelodia ludoviciana (Linn.)

287 (597) Blue grosbeak ¹ Guiraca caerulea (Linn.)

288 (598) Indigo bunting Cyanospiza cyanea (Linn.) 289 (601) Painted bunting¹
Cyanospiza ciris (Linn.)

290 (604) Dickcissel Spiza americana (Gmel.)

291 (605) Lark bunting²
Calamospiza melanocorys Stejn.

Family TANAGRIDAE Tanagers

292 (607) Louisiana tanager³
Piranga ludoviciana (Wils.)

¹ See Bul. Nutt. orn. club, 3: 132; Forest and stream, 1884, p. 424.

² This western species has once been taken on Long Island. See Auk, 6: 192, 1889.

³ One New York record. See Auk, 1890, 7: 55.

293 (608) Scarlet tanager
Piranga erythromelas Vieill.

294 (610) Summer tanager Piranga rubra (Linn.)

Family HIRUNDINIDAE Swallows

295 (611) Purple martin
Progne subis (Linn.)

296 (612) Cliff swallow
Petrochelidon lunifrons (Say)

297 (613) Barn swallow Hirundo erythrogaster Bodd.

298 (614) Tree swallow

Tachycineta bicolor (Vieill.)

299 (616) Bank swallow Clivicola riparia (Linn.)

300 (617) Rough-winged swallow Stelgidopteryx serripennis (Aud.) Family AMPELIDAE Waxwings, etc.

301 (618) Bohemian waxwing Ampelis garrulus Linn.

302 (619) Cedar waxwing
Ampelis cedrorum (Vieill.)

Family LANIIDAE1 Shrikes

303 (621) Northern shrike
Lanius borealis Vieill.

304 (622) Loggerhead shrike
Lanius ludovicianus Linn.

¹ Three species of shrikes have been recognized in New York state, but the status of the forms is not well understood, it often being a matter of difficulty to assign individual specimens to their proper species. William Palmer, after an examination of 176 specimens, proposes to "relegate excubitorides to the plains region west of the immediate Mississippi wooded drainage area, ludovicianus to the south Atlantic and gulf coasts, and Florida, and to recognize a new form (L. l. migrans) as occupying much of the remaining region of the east." The acceptance of his views has been deferred by the American ornithologists union for lack for material, and so it seems best for the present to let the species stand as given in Auk, 15: 244-58; also 16: 183.

305 (622a) White rumped shrike
Lanius ludovicianus excubitorides (Swains.)

Family VIREONIDAE Vireos

306 (624) Red-eyed vireo Vireo olivaceus (Linn.)

307 (626) Philadelphia vireo
Vireo philadelphicus (Cass.)

308 (627) Warbling vireo Vireo gilvus (Vieill.) 309 (628) Yellow-throated vireo Vireo flavifrons Vieill.

310 (629 Blue-headed vireo Vireo solitarius (Wils.)

311 (629b) Plumbeous vireo¹
Vireo solitarius plumbeus (Coues)

312 (631) White-eyed vireo Vireo noveboracensis (Gmel.)

Family MNIOTILTIDAE Wood warblers

313 (636) Black and white warbler Mniotilta varia (Linn.)

314 (637) Prothonotary warbler Protonotaria citrea (Bodd.)

315 (639) Worm-eating warbler Helmitherus vermivorus (Gmel.)

316 (641) Blue-winged warbler Helminthophila pinus (Linn.) 317 (642) Golden-winged warbler Helminthophila chrysoptera (Linn.)

318 (H.L.20) Lawrence's warbler¹
Helminthophila lawrencei (Herrick)

319 (H.L.21) Brewster's warbler¹
Helminthophila leucobronchialis (Brewst.)

320 (645) Nashville warbler Helminthophila rubricapilla (Wils.)

¹ These forms are included in the hypothetic list of the American ornithologists union check list, as they are supposed to be hybrids between H. pinus and H. chrysoptera. Both have been taken in New York, and are here included to learn more of their abundance and status in our state. See Auk, 1883, 5: 427; Bul. Nutt. orn. club, 4: 234, 1879; Auk, 1892, 9: 306.

321 (646) Orange-crowned warbler Helminthophila celata (Say)

322 (647) Tennessee warbler
Helminthophila peregrina (Wils.)

323 (648a) Northern parula warbler

Compsothlypis americana usneae Brewst.

324 (650) Cape May warbler
Dendroica tigrina (Gmel.)

n de la companya de la co

and the second of the second o

325 (652) Yellow warbler
Dendroica aestiva (Gmel.)

326 (654) Black-throated blue warbler
Dendroica caerulescens (Gmel.)

327 (655) Myrtle warbler
Dendroica coronata (Linn.)

328 (657) Magnolia warbler
Dendroica maculosa (Gmel.)

329 (658) Cerulean warbler Dendroica rara Wils.

330 (659) Chestnut-sided warbler
Dendroica pensylvanica (Linn.)

331 (660) Bay-breasted warbler
Dendroica castanea (Wils.)

332 (661) Black-poll warbler
Dendroica striata (Forst.)

egyptisten og gregoringer i fra Control of the state of

333 (662) Blackburnian warbler
Dendroica blackburniae (Gmel.)

334 (663) Yellow-throated warbler
Dendroica dominica (Linn.)

335 (667) Black-throated green warbler Dendroica virens (Gmel.)

336 (671) Pine warbler
Dendroica vigorsii (Aud.)

337 (672) Palm warbler
Dendroica palmarum (Gmel.)

338 (672a) Yellow palm warbler

Dendroica palmarum hypochrysea Ridgw.

339 (673) Prairie warbler
Dendroica discolor (Vieill.)

340 (674) Oven-bird Seiurus aurocapillus (Linn.) 341 (675) Water-thrush Seiurus noveboracensis (Gmel.)

342 (676) Louisiana water-thrush Seiurus motacilla (Vieill.)

343 (677) Kentucky warbler Geothlypis formosa (Wils.)

344 (678) Connecticut warbler Geothlypis agilis (Wils.) 345 (679) Mourning warbler Geothlypis philadelphia (Wils.)

346 (681) Maryland yellow-throat Geothlypis trichas (Linn.)

347 (683) Yellow-breasted chat Icteria virens (Linn.)

348 (684) Hooded warbler Wilsonia mitrata (Gmel.) 349 (685) Wilson's warbler Wilsonia pusilla (Wils.)

350 (686) Canadian warbler Wilsonia canadensis (Linn.)

351 (687) American redstart
Setophaga ruticilla (Linn.)

Family MOTACILLIDAE Wagtails

352 (697) American pipit
Anthus pensilvanicus (Lath.)

Family TROGLODYTIDAE Wrens, thrashers, etc.

353 (703) Mockingbird
Mimus polyglottos (Linn.)

354 (704) Catbird
Galeoscoptes carolinensis (Linn.)

355 (705) Brown thrasher Harporhynchus rufus (Linn.)

356 (718) Carolina wren
Thryothorus ludovicianus (Lath.)

357 (721) House wren Troglodytes aëdon Vieill.

358 (722) Winter wren
Anorthura hiemalis (Vieill.)

359 (724) Short-billed marsh wren Cistothorus stellaris (Licht.)

360 (725) Long-billed marsh wren Cistothorus palustris (Wils.)

Family CERTHIIDAE Creepers

361 (726) Brown creeper

Certhia familiaris fusca (Barton)¹

Family PARIDAE Nuthatches and tits

362 (727) White-breasted nuthatch Sitta carolinensis Lath.

363 (728) Red-breasted nuthatch Sitta canadensis Linn.

364 (729) Brown-headed nuthatch 1 Sitta pusilla Lath.

¹ Oberholser has recently shown that this name is untenable and that the former c. f. americana (Bonap.) must be restored. See Auk, 16: 185.

² One New York record. See Auk, 1888, 5:432.

365 (731) Tufted titmouse
Parus bicolor Linn.

366 (735) Chickadee Parus atricapillus Linn.

367 (740) Hudsonian chickadee Parus hudsonicus Forst.

Family SYLVIIDAE Warblers, kinglets, gnatcatchers

368 (748) Golden-crowned kinglet Regulus satrapa Licht. 369 (749) Ruby-crowned kinglet
Regulus calendula (Linn.)

370 (751) Blue-gray gnatcatcher Polioptila caerulea (Linn.)

Family TURDIDAE Thrushes, stone-chats, blue-birds, etc.

371 (755) Wood thrush
Hylocichla mustelina (Gmel.)

372 (756) Wilson's thrush Hylocichla fuscescens (Steph,) 373 (757) Gray-cheeked thrush Hylocichla aliciae (Baird)

374 (757a) Bicknell's thrush
Hylocichla aliciae bicknelli Ridgw.

375 (758a) Olive-backed thrush
Hylocichla ustulata swainsonii (Cab.)

376 (759b) Hermit thrush Hylocichla aonalaschkae pallasii (Cab.) 377 (761) American robin Merula migratoria (Linn.

378 (763) Varied thrush¹
Hesperocichla naevia (Gmel.)

379 (765) Wheatear²
Saxicola oenanthe (Linn.)

380 (766) Bluebird Sialia sialis (Linn.)

^{1 &}quot;There are no less than three valid records for this species near New York city." See Dwight.

*Auk, 12:70; Proc. Boston soc. nat. hist. 1848, 3:17; Ann. lyc. nat. hist. N. Y. 1867, 8:281; Coues's Birds

*Colorado valley 1878, p. 19; Baird Brewer and Ridgway's Birds, 1874, 1:29.

² Long Island records. See Auk, 3:490; also 10:277; Ann. lyc. nat. hist. N. Y. 8: 282, 1867.

INTRODUCED SPECIES¹
Family ALAUDIDAE Larks

381 [473] Skylark²
Alauda arvensis Linn.

Family STURNIDAE Starlings
382 [493] Starling³
Sturnus vulgaris Linn.

Family FRINGILLIDAE Finches, sparrows, etc.
383 European goldfinch
Carduelis carduelis (Linn.)

384 House sparrow
Passer domesticus (Linn)

¹ Exclusive of game birds.

² This European form is accidental in Greenland and Bermuda. Has been introduced in this country and in 1887 was found breeding at Flatbush L. I. See Auk, 5: 180; 12:390.

³ See Auk, 15: 55-56.

PART 2

HYPOTHETIC LIST

Including those forms, of which we have no satisfactory record, but which, having been taken in adjoining states, may be looked for in New York.

1 (28) Mandt's guillemot Cepphus mandtii (Licht.)

Arctic regions . . . south . . . in winter, to Mass.—American ornithologists union

2 (30) Murre Uria troile (Linn.)

Southward on the coast of North America, in winter, to southern New England.—American ornithologists union. This species has been reported from our state, but it seems probable that the specimens taken were immature individuals of U. lumme.

3 (67) Cabot's tern Sterna sandvicensis acuflavida (Cabot.)

South Atlantic and gulf coasts of the United States, north, casually, to southern New England.—American ornithologists union

4 (86) Fulmar Fulmarus glacialis (Linn.)

North Atlantic, south on the American side to the coast of Massachusetts, casually to New Jersey.—American ornithologists union. Accidental in northern New Jersey.—Chapman

5 (86a) Lesser fulmar

Fulmarus glacialis minor (Kjaerboelling)

North Atlantic, south on American side to coast of Massachusetts.—American ornithologists union

6 (126) Brown pelican Pelecanus fuscus (Linn.)

Occasionally strays to Illinois and Massachusetts.—Chapman, Birds of eastern North America. De Kay (1842), mentions this form as "an occasional visitor to the coast of our state," but gives no records.—Birds, p. 294

7 [138] European teal Nettion crecca (Linn.)

Occasional in eastern North America.—American ornithologists union. New Jersey, Connecticut, and Massachusetts records.—Abbott, Geology of New Jersey, p. 792; Treat, Auk, 8:112; Mackay, Auk, 7:294

8 (141) Cinnamon teal

Querquedula cyanoptera (Vieill.)

Accidental east of the Mississippi.

9 (173a) White-bellied brant Branta bernicla glaucogastra (Brehm.)

This subspecies has been recognized in America by Coues. See Auk, 14:207-8. This form may be looked for in our state, though I can find no records as yet.

10 (191.1) Cory's least bittern Ardetta neoxena Cory

Michigan and Ontario records. Will undoubtedly be found in our state.

11 [227] European woodcock Scolopax rusticola (Linn.)

Accidental in the United States. There are New Jersey, Pennsylvania and Rhode Island records; and we may expect to find this form in New York.

12 (371) Richardson's owl Nyctala tengmalmi richardsoni (Bonap.)

South in winter into the northern United States. American ornithologist union. Rhode Island record. See Auk, 3:271

13 (395) Red-cockaded woodpecker Dryobates borealis (Vieill.)

"A southern United States form has been taken as far north as Hoboken, New Jersey." See Lawrence, Ann. lyc. nat. hist. N. Y., 8:291.

14 (443) Scissor-tailed flycatcher Milvulus forficatus (Gmel.)

A southwestern United States form that has occurred accidentally in New Jersey and New England.

15 (475) American magpie. Pica pica hudsonica (Lab.)


De Kay (1842) mentions it as having occurred in the northwestern part of the state near Niagara, but does not give any records.

16 (497) Yellow-headed blackbirdXanthocephalus xanthocephalus (Bonap.)

Accidental in Ontario and the Atlantic states, Massachusetts, etc.—American ornithologists union

17 (736) Carolina chickadee Parus carolinensis Aud.

Princeton N. J., is usually considered its northern limit. See Scott's The country, 1878, 1:334.



INDEX

The superior figures tell the exact place on the page in ninths; e. g. 201° means page 201 beginning in the third ninth of the page, i. e. about one third of the way down.

```
Acanthis linaria, 3237
        rostrata, 3251
Accipiter atricapillus, 2878
    cooperii, 2871
    velox, 2857
Actitis macularia, 2717
Aegialitis meloda, 2778
        circumcineta, 277
    semipalmata, 2771
    vocifera, 2757
    wilsonia, 277
Aestrelata hasitata, 217
    scalaris, 2191
Agelaius phoeniceus, 3177
Aix sponsa, 2295
Alauda arvensis, 3871
Alaudidae, 3135, 3871
Alca torda, 2013
Alcedinidae, 3015
Alcidae, 1995-2016
Alle alle, 2015
Ammodramus caudacutus, 3311
    henslowii, 3298
   leconteii, 3297
    maritimus, 3317
    nelsoni, 3318
        subvirgatus, 3315
    princeps, 3277
    sandwichensis savanna, 3291
    savannarum passerinus, 3298
Ampelidae, 3471
Ampelis cedrorum, 3478
    garrulus, 3471
```

```
Anas boschas, 2258
    obscura, 2255
Anatidae; 2235-435
Anorthura hiemalis, 375*
Anser albifrons gambeli, 2307
Anseres, 2235-435
Anthus pensilvanicus, 3717
Antrostomús vociferus, 3072
Aphrizidae, 2791
Aquila chrysaëtos, 2897
Archibuteo lagopus sancti-johannis,
Ardea caerulea, 2491
    candidissima, 2475
    egretta, 2478
    herodias, 2471
    tricolor ruficollis, 2477
    virescens, 2498
Ardeidae, 2455-499
Ardetta exilis, 2457
    neoxena, 3938
Arenaria interpres, 2791
Asio accipitrinus, 2956
    wilsonianus, 2958
Astragalinus tristis, 3253
Auk, razor-billed, 2018
Avocet, American, 2578
Avthya affinis, 2317
    americana, 2311
    collaris, 2331
    marila, 2316
    vallisneria, 2313
```

Baldpate, 2273 Bartramia longicauda, 2713 Birds of prey, 2837-996 Bittern, American, 2455 Cory's least, 3938 least, 2457 Blackbird, red-winged, 3177 rusty, 3197 yellow-headed, 3057 Bluebird, 3857 Bobolink, 3178 Bob-white, 2706 Bonasa umbellus, 2811 togata, 2813 Booby, 2211 Botaurus lentiginosus, 245⁵ Brant, 2415 black, 2417 white-bellied, 3931 Branta bernicla, 2415 glaucogastra, 3931 canadensis, 2411 leucopsis, 2431 hutchinsii, 2418 nigracans, 2417 Bubo virginianus, 2077 Bubonidae, 2958-996 Buffle-head, 2337 Bunting, indigo, 3307 lark, 3415 painted, 3411 Buteo borealis, 2875 latissimus, 2803 lineatus, 2877 swainsoni, 2891

Calamospiza melanocorys, 341⁵
Calcarius lapponicus, 327³
ornatus, 327⁵
Calidris arenaria, 267⁸
Camptolaimus labradorius, 235⁵
Canachites canadensis, 279⁷
Canvas-back, 231⁸
Caprimulgidae, 307¹
Cardinal, 339¹
Cardinalis cardinalis, 339¹

Carduelis carduelis, 3875 Carpodacus purpureus, 3231 Catbird, 373° Catharista urubu, 2851 Cathartes aura, 2837 Cathartidae, 2837-853 Ceophloeus pileatus abieticola, 3051 Cepphus grylle, 1997 mandtii, 3802 Certhia familiaris fusca, 3771 Certhiidae, 3771 Ceryle alcyon, 3015 Chaetura pelagica, 3076 Charadriidae, 2751-779 Charadrius dominicus, 2755 Charitonetta albeola, 2337 Chat, yellow-breasted, 3605 Chaulelasmus streperus, 2257 Chen caerulescens, 2305 hyperborea nivalis, 2303 Chickadee, 3793 Carolina, 3971 Hudsonian, 3795 Chondestes grammacus, 3331 Chordeiles virginianus, 3078 Ciconiidae, 245⁸ Circus hudsonius, 2855 Cistothorus palustris, 3757 stellaris, 3755 Clangula clangula americana, 2338 islandica, 2335 Clivicola riparia, 3455 Coccothraustes vespertinus, 3218 Coccyges, 3011 Coccyzus americanus, 3012 erythrophthalmus, 301° Colaptes auratus luteus, 3057 Colinus virginianus, 2706 Columbae, 2838 Columbidae, 2838 Colymbus auritus, 1974 holboellii, 1978 Compsothlypis americana 357⁵ Contopus borealis, 3111 virens, 3118

Conurus carolinensis, 299 Coot, American, 2557 Cormorant, 2218 double-crested, 2217 Corvidae, 3151-173 Corvus americanus, 3157 corax principalis, 3155 ossifragus, 3171 Cowbird, 3175 Crake, corn, 2551 Crane, sandhill, 2518 whooping, 2512 Creeper, brown, 3771 Crex crex, 2551 Crossbill, American, 3238 white-winged, 3235 Crow, American, 3157 fish, 3171 Crymophilus fulicarius, 2571 Cuckoo, black billed, 3013 vellow-billed, 3012 Cuculidae, 3011 Curlew, Eskimo, 2735 European, 2737 Hudsonian, 2733 long-billed, 2731 Cyanocitta cristata, 3151 Cyanospiza ciris, 3411 cyanea, 3397 Dafila acuta, 2208

Dafila acuta, 229⁸
Dendroica aestiva, 359¹
blackburniae, 363¹
caerulescens, 359⁸
castanea, 361⁸
coronata, 359⁵
discolor, 365⁶
dominica, 363⁸
maculosa, 359⁷
palmarum, 365¹
hypochrysea, 365⁸
pensylvanica, 361⁸
rara, 361¹
striata, 361⁷
tigrina, 357⁷

Dendroica vigorsii, 3637 virens, 3635 Dickcissel, 3418 Diving birds, 1972-2016 Dolichonyx oryzivorus, 3178 Dove, mourning, 2835 Dovekie, 2018 Dowitcher, 2507 long-billed, 2611 Dryobates borealis, 3951 pubescens medianus, 3031 villosus, 3018 Duck, American scaup, 2315 black, 2255 harlequin, 2358 Labrador, 2355 lesser scaup, 2317 ring-necked, 2331 ruddy, 2301 rufous-crested, 2297 wood, 2298 Dunlin, 2651

Eagle, bald, 291¹
golden, 289³
Ectopistes migratorius, 283³
Egret, American, 247³
Eider, American, 235³
king, 237¹
Elanoides forficatus, 285³
Empidonax flaviventris, 311⁵
minimus, 313³
traillii alnorum, 313¹
virescens, 311²
Ereunetes occidentalis, 267¹
pusillus, 265³
Erismatura jamaicensis, 230¹

Falco columbarius, 293⁸
islandus, 291⁸
peregrinus anatum, 293¹
rusticolus gyrfalco, 291⁵
obsoletus, 291⁷
sparverius, 293⁸
Falconidae, 285⁸–95⁸
Finch, purple, 323¹
Flicker, northern, 305⁷

Flycatcher, alder, 3131 crested, 3098 green-crested, 3117 least, 3138 olive-sided, 31111 scissor-tailed, 3953 yellow-bellied, 3115 Fratercula arctica, 1995 Fregata aquila, 2238 Fregatidae, 2238 Fringillidae, 3215-416, 3875 Fulica americana, 2557 Fulmar, 3898 lesser, 3911 Fulmarus glacialis, 3898 minor, 3911

Gadwall, 225

Galeoscoptes carolinensis, 373⁸
Gallinae, 279⁸–83⁸
Gallinago delicata, 259⁸
Gallinula galeata, 255⁸
Gallinule, Florida, 255⁸
purple, 255⁸
Gannet, 221⁸
Gavia arctica, 199¹
imber, 197⁸

lumme, 199⁸ Gaviidae, 197⁸–99⁵

Gelochelidon nilotica, 2097

Geothlypis agilis, 367⁷ formosa, 367⁸

philadelphia, 369¹ trichas, 369⁸

Gnatcatcher, blue-gray, 3818

Godwit, Hudsonian, 267⁸ marbled, 267⁸

Golden-eye, American, 2338
Barrow's, 2338

Goldfinch, American, 325⁸ European, 387⁵

Goose, American white-fronted,

barnacle, 243¹ blue, 239⁵ Canada, 241¹

Goose, greater snow, 239³
Hutchins's, 241⁸
Goshawk, American, 287⁸
Grackle, bronzed, 321⁸
purple, 321¹
Grebe, Holboell's, 197⁸
horned, 197⁴
pied-billed, 197⁶
Grosbeak, blue, 339⁸

evening, 321⁵ pine, 321⁷ rose-breasted, 339⁸

Grouse, Canada, 279⁸
Canadian ruffed, 281³
ruffed, 281¹

Gruidae, 2511

Grus americana, 251² mexicana, 251³

Guara alba, 2438

Guillemot, black, 199⁷
Mandt's, 389²

Guiraca caerulea, 339⁸

Gull, American herring, 207⁸
Bonaparte's, 209¹
glaucous, 205⁸
great black-backed, 205⁷
herring, 207¹

Iceland, 205⁸ ivory, 203⁷ laughing, 207⁷

little, 209⁸ ring-billed, 207⁵ Sabine's, 209⁶

Gyrfalcon, 291⁸ black, 291⁷ white, 291³

Haematopodidae, 2798

Haematopus palliatus, 279⁸ Haliaeetus leucocephalus, 291¹ Harelda hyemalis, 235¹ Harporhynchus rufus, 373⁸ Hawk, American rough-legged, 289⁶

American sparrow, 293⁵ broad-winged, 289⁸ Cooper's, 287¹

Hawk, duck, 2931	Icteridae, 3178-215
marsh, 285 ⁵	Icterus galbula, 319 ⁵
pigeon, 293³	spurius, 319³
red-shouldered, 287	Ionornis martinica, 255°
red-tailed, 287 ⁵	, 33
sharp-shinned, 285 ⁷	Jaeger, long-tailed, 2036
Swainson's, 2891	parasitic, 2038
Helminthophila celata, 3571	pomarine, 203¹
chrysoptera, 355¹	Jay, blue, 315¹
lawrencei, 355 ⁸	Canada, 315³
leucobronchialis, 355⁵	Junco, slate-colored, 335 ⁵
peregrina, 357°	Junco hyemalis, 335 ⁵
pinus, 353 ⁷	
rubricapilla, 355²	Killdeer, 275
Helmitherus vermivorus, 353 ⁵	Kingbird, 3092
Helodromas solitarius, 269 ⁵	Arkansas, 3094
Hen, heath, 2817	Kingfisher, belted, 3015
Herodiones, 2435-499	Kinglet, golden-crowned, 379
Heron, black-crowned night, 249 ⁵	ruby-crowned, 3811
great blue, 2471	Kite, swallow-tailed, 285 ³
green, 249³	Kittiwake, 205¹
little blue, 249¹	Knot, 261⁵
Louisiana, 247 ⁷	Tagonya 10 manus of 15
snowy, 247 ⁵	Lagopus lagopus, 281 ⁵
yellow-crowned night, 249 ⁷	Laniidae, 347 ⁵ -49 ⁸
Hesperocichla naevia, 3858	Lanius borealis, 347 ⁵
Himantopus mexicanus, 2591	ludovicianus, 347 ⁷ excubitorides, 349 ¹
Hirundinidae, 343 ⁵ -45°	Lapwing, 275 ¹
Hirundo erythrogaster, 3451	Lapwing, 2/5 Laridae, 203 ⁷ –15 ⁴
Histrionicus histrionicus, 235°	Lark, horned, 313 ⁵
Hummingbird, ruby-throated, 3078	prairie horned, 313 ⁷
Hydrochelidon nigra surinamensis,	Larus argentatus, 2071
215	smithsonianus, 2078
Hylocichla aliciae, 3831	atricilla,° 207
bicknelli, 383 ⁸	delawarensis, 207 ⁵
aonalaschkae pallasii, 383 ⁷	glaucus, 205°
fuscescens, 381 ⁷	leucopterus, 205°
mustelina, 381 ⁵	marinus, 205 ⁷
ustulata swainsonii, 383 ⁵	minutus, 2098
	philadelphia, 2091
Ibididae, 243 ⁸ -45 ⁸	Limicolae, 2571-796
Ibis, glossy, 243 ⁷	Limosa fedoa, 267 ⁵
white, 243 ⁵	haemastica, 267 ⁷
white-faced glossy, 2451	Longipennes, 2017-156
wood, 245 ⁸	Longspur, chestnut-collared, 32
Icteria virens, 360°	Lapland, 3271

Loon, 197⁸
black-throated, 199¹
red-throated, 199³
Lophodytes cucullatus, 225¹
Loxia curvirostra minor, 323⁸
leucoptera, 323⁵

Machrochires, 3071 Macrorhamphus griseus, 2597 scolopaceus, 2611 Magpie, American, 395⁵ Mallard, 2258 Man-o'-war bird, 2238 Mareca americana, 2278 penelope, 2271 Martin, purple, 3435 Meadowlark, 3191 Megalestris skua, 2017 Megascops asio, 297⁵ Melanerpes carolinus, 305⁵ erythrocephalus, 3053 Meleagris gallopavo fera, 2831 Melospiza fasciata, 3357 georgiana, 3378 lincolnii, 3371 Merganser, American, 2236 hooded, 2251 red-breasted, 2237 Merganser americanus, 2236 serrator, 2237 Merula migratoria, 3851 Micropalma himantopus, 2618 Micropodidae, 3075 Milvulus forficatus, 3958 Mimus polyglottos, 3731 Mniotilta varia, 3531 Mniotiltidae, 3531-717 Mockingbird, 3731 Molothrus ater, 317⁵ Motacillidae, 3717 Murre, 3894 Brünnich's, 2011 Myiarchus crinitus, 3005 Netta rufina, 2297 Nettion carolinensis, 227

crecca, 3915

Nighthawk, 307⁵
Numenius arquatus, 273⁷
borealis, 273⁵
hudsonicus, 273⁸
longirostris, 273¹
Nuthatch, brown-headed, 377⁷
red-breasted, 377⁵
white-breasted, 377⁵
vhotala acadica, 297⁸
tengmalmi richardsoni, 393⁷
Nyctea nyctea, 299¹
Nycticorax nycticorax naevius, 249⁵
violaceus, 249⁷

Oceanites oceanicus, 2104 Oceanodroma leucorhoa, 2103 Oidemia americana, 2378 deglandi, 2375 perspicillata, 2377 Old-squaw, 2351 Olor columbianus, 243° Oriole, Baltimore, 3195 orchard, 3193 Osprey, American, 2037 Otocoris alpestris, 3135 praticola, 3137 Oven-bird, 3657 Owl, American barn, 2951 American hawk, 2993 American long-eared, 2958 barred, 2957 burrowing, 2995 great gray, 2971 great horned, 2977 Richardson's, 3937 saw-whet, 2978 screech, 2975 short-eared, 2955 snowy, 2991

snowy, 299¹
Oyster-catcher, American, 279³
Pagophila alba, 203²
Paludicolae, 251¹-55°

Paludicolae, 251¹–55° Pandion haliaëtus carolinensis, 293⁷ Paridae, 377°–79⁷ Paroquet, Carolina, 299⁷ Parrots, 299⁷

Parus atricapillus, 3703 bicolor, 3791 carolinensis, 3971 hudsonicus, 3795 Passer domesticus, 387⁷ Passerella iliaca, 337⁵ Passeres, 3091-859 Passerina nivalis, 3257 Pavoncella pugnax, 2711 Pelecanidae, 2231 Pelecanus erythrorhynchos, 2231 fuscus, 3913 Pelican, American white, 2231 brown, 3013 Perching birds, 3001-879 Perisoreus canadensis, 3158 Petrel, black-capped, 2177 Leach's, 2103 scaled, 2101 Wilson's, 2194 Petrochelidon lunifrons, 3437 Pewee, wood, 3118 Phaëthon americanus, 2197 Phaëthontidae, 2197 Phalacrocoracidae, 2215 Phalacrocorax carbo, 2215 Phalarope, northern, 2578 red, 2572 Wilson's, 2575 Phalaropodidae, 2571 Phalaropus lobatus, 2578 Phasianidae, 2831 Philohela minor, 2598 Phoebe, 3097 Pica pica hudsonica, 395^b Pici, 3017-59 Picidae, 3017-5° Picoides americanus, 3035 arcticus, 3033 Pigeon, passenger, 2838 Pinicola enucleator canadensis, 3217 Pintail, 2298 Pipilo erythrophthalmus, 337 Pipit, American, 3717

Piranga erythromelas, 3431 ludoviciana, 3417 rubra, 3438 Plegadis autumnalis, 2437 guarauna, 2451 Plover, American golden, 275⁵ belted piping, 2775 black-bellied, 2753 piping, 2773 semipalmated, 2771 Wilson's, 277 Podicipidae, 1973 Podilymbus podiceps, 1976 Polioptila caerulea, 3813 Pooecetes gramineus, 3275 Porzana carolina, 2538 jamaicensis, 2537 noveboracensis, 2535 Procellariidae, 2157-196 Progne subis, 3438 Protonotaria citrea, 353° Psittaci, 2007 Psittacidae, 2007 Ptarmigan, willow, 2818 Puffin, 1995 Puffinus auduboni, 2178 borealis, 2157 fuliginosus, 2175 gravis, 2171 Pygopodes, 1978-2016 Querquedula cyanoptera, 3918 discors, 2277 Quiscalus quiscula, 3211 aeneus, 3218 Rail, black, 2537 clapper, 2517 king, 2515 Virginia, 2531 yellow, 2535 Rallidae, 2515-559 Rallus crepitans, 2517 virginianus, 2531 Raptores, 2837-996 Raven, northern, 3156

Recurvirostra americana, 2578 Recurvirostridae, 2577-503 Redhead, 2311 Redpoll, 3237 greater, 3251 Redstart, American, 3715 Regulus calendula, 3811 satrapa, 3707 Rissa tridactyla, 2051 Robin, American, 3851 Ruff, 2711 Rynchopidae, 2155 Rynchops nigra, 215 Sanderling, 2678 Sandpiper, Baird's, 2635 Bartramian, 2713 buff-breasted, 2715 curlew, 2658 least, 2637 pectoral, 2631 purple, 2617 red-backed, 2658 semipalmated, 2657 solitary, 2695 spotted, 2717 stilt, 2613 western, 2671 white-rumped, 2638 Sapsucker, yellow-bellied, 3037 Saxicola oenanthe, 385° Sayornis phoebe, 3007 Scolecophagus carolinus, 3197 Scolopacidae, 2598-739 Scolopax rusticola, 393⁸ Scoter, American, 2374 surf, 237 white-winged, 2375 Scotiaptex cinerea, 2971 Seiurus aurocapillus, 3657 motacilla, 3678 noveboracensis, 3671 Setophaga ruticilla 3715 Shearwater, Audubon's, 217°

Cory's, 2157

Shearwater, greater, 2171 sootv. 2175 Shore birds, 2571-795 Shoveller, 2291 Shrike, loggerhead, 3477 northern, 3475 white-rumped, 3491 Sialia sialis, 3857 Siskin, pine, 325 Sitta canadensis, 377⁵ carolinensis, 3778 pusilla, 377 Skimmer, black, 215 Skua, 2017 Skylark, 3871 Snipe, Wilson's, 2595 Snowflake, 3257 Somateria dresseri, 2357 spectabilis, 2371 Sora, 2531 Sparrow, Acadian sharp-tailed, 3315 chipping, 3351 field, 335° fox, 337⁵ grasshopper, 3293 Henslow's, 3295 house, 3877 Ipswich, 3277 lark, 3331 Leconte's, 3297 Lincoln's, 3371 Nelson's, 3318 Savanna, 3291 seaside, 3317 sharp-tailed, 3311 song, 3357 swamp, 337° tree, 3337 vesper, 327⁵ white-crowned, 3338 white-throated, 3335 Spatula clypeata, 2291 Speotyto cunicularia hypogaea, 2996 Sphyrapicus varius, 3037 Spinus pinus, 3258 Spiza americana, 3418

Spizella monticola, 333 ⁷	Tachycineta bicolor, 345*
pusilla, 335 ⁸	Tanager, Louisiana, 3417
socialis, 335¹	scarlet, 3431
Squatarola squatarola, 2753	summer, 343 ⁸
Starling, 387 ⁸	Tanagridae, 3417-438
Steganopodes, 2196-236	Tantalus loculator, 245°
Steganopus tricolor, 257 ⁸	Teal, blue-winged, 227
Stelgidopteryx serripennis, 345 ⁷	cinnamon, 3918
Stercorariidae, 2017-37	European, 391 ⁵
Stercorarius longicaudus, 2035	green-winged, 227 ⁸
parasiticus, 203 ⁸	Tern, arctic, 213 ³
pomarinus, 203¹	black, 2153
Sterna antillarum, 2137	Cabot's, 389°
caspia, 2111	Caspian, 2111
dougalli, 213 ⁵	common, 2131
forsteri, 211 ⁷	Forster's, 211 ⁷
fuliginosa, 2151	gull-billed, 209
hirundo, 213¹	least, 213 ⁷
maxima, 211 ³	roseate, 213 ⁵
paradisaea, 2138	royal, 211 ³
sandvicensis acuflavida, 3896	sooty, 215 ¹
trudeaui, 211 ⁵	Trudeau's, 2115
Stilt, black-necked, 259 ¹	Tetraonidae, 279 ⁵ –81°
Strigidae, 295¹	Thrasher, brown, 373 ⁸
Strix pratincola, 295¹	Thrush, Bicknell's, 383*
Sturnella magna, 319 ¹	gray-cheeked, 3831
Sturnidae, 387 ⁸	hermit, 383 ⁷
Sturnus vulgaris, 3878	olive-backed, 383 ⁸
Sula bassana, 2218	varied, 385 ⁸
sula, 221 ¹	Wilson's, 381
Sulidae, 221 ¹	wood, 381 ⁵
Surf birds, 279 ¹	Thryothorus ludovicianus, 373
Surnia ulula caparoch, 299 ⁸	Titmouse, tufted, 379 ¹
Swallow, bank, 345 ⁵ barn, 345 ¹	Totanus flavipes, 2608
cliff, 343 ⁷	melanoleucus, 260¹
rough-winged, 345	Towhee, 337
tree, 345 ⁸	Tringa alpina, 265 ¹
Swan, whistling, 2438	
Swift, chimney, 307°	pacifica, 265* bairdii, 263*
Swimmers, lamellirostral, 223 ⁸ -43 ⁸	, -
long-winged, 201 ⁷ –15 ⁶	canutus, 261 ⁵ ferruginea, 265 ⁵
totipalmate, 2196–236	fuscicollis, 263 ⁸
tube-nosed, 215 ⁷ –19 ⁶	maculata, 2631
Sylviidae, 379 ⁷ –81 ⁵	maritima, 261 ⁷
Symphemia semipalmata, 269	minutilla, 263
Syrnium nebulosum, 295	Trochilidae, 307
, , , ,	

Trochilus colubris, 307⁶
Troglodytes aëdon, 375¹
Troglodytidae, 373¹–75°
Tropic bird, yellow-billed, 219⁷
Tryngites subruficollis, 271⁸
Tubinares, 215⁷–19°
Turdidae, 381°–85°
Turkey, wild, 283¹
Turnstone, 279¹
Tympanuchus cupido, 281⁷
Tyrannidae, 309¹–13⁵
Tyrannus tyrannus, 309²
verticalis, 309⁴

Uria lomvia, 201¹ troile, 389⁴

Vanellus vanellus, 2751 Vireo, blue-headed, 3518 Philadelphia, 3498 plumbeous, 3515 red-eved, 3408 warbling, 3497 white-eyed, 3517 yellow-throated, 3511 Vireo flavifrons, 3511 gilvus, 3497 noveboracensis, 3517 olivaceus, 3498 philadelphicus, 349⁵ solitarius, 3518 plumbeus, 3515 Vireonidae, 3498-518 Vulture, black, 2851 turkey, 2837

Wagtails, 3717

Warbler, bay-breasted, 361⁸
black and white, 353¹
Blackburnian, 363¹
black poll, 361⁷
black-throated blue, 359⁸
black-throated green, 363⁸
blue-winged, 353⁷
Brewster's, 355⁶
Canadian, 371⁸
Cape May, 357⁷

Warbler, cerulean, 3611 chestnut-sided, 3613 Connecticut, 3677 golden-winged, 3551 Lawrence's, 355° myrtle, 3595 Nashville, 3557 northern parula, 3575 orange-crowned, 3571 pine, 3637 prairie, 365⁵ Tennessee, 3578 Wilson's, 3711 worm-eating, 353" yellow, 3591 yellow palm, 3658 Water-thrush, 3671 Waxwing, Bohemian, 3471 Wheatear, 3855 Whip-poor-will, 3072 Widgeon, 2271 Willet, 2697 Wilsonia canadensis, 3718 mitrata, 3697 pusilla, 3711 Wood warblers, 3531-717 Woodcock, American, 2598 Woodpecker, American three-toed, arctic three-toed, 3033 downy, 3031 hairy, 3018 northern pileated, 3051 red-bellied, 305° red-cockaded, 3051

red-headed, 3058

Wren, Carolina, 373⁷
house, 375¹
long-billed marsh, 375⁷
short-billed marsh, 375⁸
winter, 375⁸

Xanthocephalus xanthocephalus, 395⁷ Xema sabinii, 200⁸ Yellow-legs, 269³
greater, 269¹
Yellow-throat, Maryland, 369³
Zamelodia ludoviciana, 339³
Zenaidura macroura, 283⁸
Zonotrichia albicollis, 333⁵
leucophrys, 333³



New York State Museum

PUBLICATIONS

Museum reports. New York state museum. Annual report, 1847date. O. Albany 1848-date.

Average 300 pages a year. Price for all in print to 1892, 50 cents a volume; 75 cents in cloth; 1892-date, 75 cents, cloth.

Museum bulletins. New York state museum. Bulletins. v. 1-6, O. Albany 1887-date. Price to advance subscribers, 75 cents a year.

Volume 1. 6 nos. Price \$1 in cloth

Marshall, W: B. Preliminary list of New York unionidae. 19p. Mar. 1892. Price 5 cents.

Peck, C: H. Contributions to the botany of the state of New York.

66p. 2 pl. May 1887. Price [35] cents.

Smock, J. C. Building stone in the state of New York. 152p. Mar. 1888. Out of print.

Nason, F. L. Some New York minerals and their localities. 19p. 1 pl. Aug. 1888. Price 5 cents.

Lintner, J. A. White grub of the May beetle. 31p. il. Nov. 5 1888. Price 10 cents.

6 —— Cut-worms. 36p. il. Nov. 1888. Price 10 cents.

Volume 2. 4 nos. Price \$1 in cloth

Smock, J: C. First report on the iron mines and iron ore districts 7

in N. Y. 5+70p. map 58×60 cm. June 1889. Price 20 cents. Peck, C: H. Boleti of the U.S. 96p. Sep. 1889. Price [40] cents. Marshall, W: B. Beaks of unionidae inhabiting the vicinity of 8

Albany, N. Y. 23p. 1 pl. Aug. 1890. Price 10 cents.

Smock, J: C. Building stone in New York. 210p. map 58 × 60 cm, tab. Sep. 1890. Price 40 cents.

Merrill, F: J. H. Salt and gypsum industries in New York. 92p. 12 pl. 2 maps 38 × 58, 61 × 66 cm, 11 tab. Ap. 1893. Price 40 cents.

Merrill, F: J. H. & Ries, Heinrich. Clay industries of New York. 174p. 2 pl. map 59×67 cm. Mar. 1895. *Price* 30 cents. New edition in preparation. Lintner, J. A. Some destructive insects of New York state; San

13

José scale. 54p. 7 pl. Ap. 1895. *Price* 15 cents. Kemp, J. F. Geology of Moriah and Westport townships, Essex co. 14 N. Y., with notes on the iron mines. 38p. 7 pl. 2 maps 30 × 33, 38×44 cm. Sep. 1895. Price 10 cents.

Merrill, F: J. H. Mineral resources of New York 224p. 2 maps

.15 22×35, 58×65cm. Feb. 1896. Price 40 cents.

Volume 4

Beauchamp, W: M. Aboriginal chipped stone implements of New 16

York. 86p. 23 pl. Oct. 1897. *Price* 25 cents.

Merrill, F: J. H. Road materials and road building in New York. 17 52p. 14 pl. 2 maps 34 × 44, 68 × 92 cm. Oct. 1897. Price 15 cents.

18 Beauchamp, W: M. Polished stone articles used by the New York

aborigines. 104p. 35 pl. Nov. 1897. Price 25 cents.

Merrill, F: J. H. Guide to the study of the geological collections of 19 the New York state museum. 162p. 119 pl. 1 map 33×43 cm. Nov. 1898. Price 40 cents.

Volume 5

Felt, E. P. Elm-leaf beetle in New York. 46p. il. 5 pl. June 1898. Price 5 cents

2 I Kemp, J. F. Geology of the Lake Placid region: 24p. 1 map 33 × 34 cm. 1 pl. Sep. 1898. Price 5 cents.

Beauchamp, W: M. Earthenware of the New York aborigines. 78p. 33 pl. Oct. 1898. *Price* 25 cents. Felt, E. P. 14th report of the state entomologist 1898. 15op. il.

23

9 pl. Dec. 1898. Price 20 cents.

Memorial of the life and entomologic work of J. A. Lintner.

316p. 1 pl. Oct. 1899. *Price* 35 cents.

Peck, C: H. Report of the state botanist 1898. 76p. 5 pl. Oct. 25 1800. Price 40 cents.

Volume 6

Felt, E.P. Collection, preservation and distribution of New York 26 insects. 36p. il. Ap. 1899. Price 5 cents.

— Shade-tree pests in New York state. 26p. 5 pl. May 1899. 27

Price 5 cents. Peck, C: H. Plants of North Elba. 206p. 1 map 12 × 16 cm. 28 June 1899. Price 20 cents. 29

Miller, G. S., jr. Preliminary list of New York mammals. 124p.

Oct. 1899. Price 15 cents.

Orton, Edward. Petroleum and natural gas in New York. 136p. 30 il. 3 maps 13×23, 7×22, 9×14 cm. Nov. 1899. Price 15 cents.

Felt, E. P. 15th report of the state entomologist 1899. In prep-31 aration.

Volume 7

Beauchamp, W: M. Aboriginal occupation of New York. 190p. 16 pl. 2 maps 44×35, 93×68 cm. March 1900. *Price* 30 cents. Farr, M. S. Check list of New York birds. 222p. Ap. 1900.

33

Price 25 cents.

Cumings, E. R. Lower Silurian system of eastern Montgomery 34 county; Prosser, C: S. Notes on the stratigraphy of the Mohawk valley and Saratoga county, N. Y. In press. Clarke, J. M. Paleontologic papers; Simpson, G. B. Preliminary

descriptions of new genera. In press.

Ries, Heinrich. Clays: their properties and uses. In press.
Miller, G. S., jr. Key to the land mammals of n e North

America. In press.

Bean, Tarleton. Check list of the fishes of N. Y. In preparation. Economic map. Merrill, F: J. H. Economic and geologic map of the state of New York. 59×67 cm. 1894. Price, unmounted 25 cents, backed on muslin 75 cents.

Scale 14 miles to 1 inch. New edition in preparation.

Museum memoirs. New York state museum.

Memoirs. v.1, O.

Albany 1889.
Uniform with the Palsontology.
Beecher, C: E. & Clarke, J: M. Development of some Silurian brachiopoda. 95p. 8 pl. Oct. 1889. Price 80 cents.
Hall, James & Clarke, J: M. Paleozoic reticulate sponges. 35op.


il. 70 pl. Oct. 1899. Price \$1. Clarke, J. M. The Oriskany fauna of Becraft mountain, Columbia co. N. Y. In preparation.

Natural history. New York state. Natural history of New York. 30 v. il. pl. maps, sq. Q. Albany 1842-94.


Division 1 De Kay, J. E. Zoology. 5 v. 1842-44.

2 Torrey, John. Botany. 2 v. 1843. 3 Beck, L. C. Mineralogy. 24+536p. 1842. 4 Mather, W: W.; Emmons, Ebenezer; Vanuxem, Lardner & Hall, James. Geology. 4 v. 1842-43.

5 Emmons, Ebenezer. Agriculture. 5 v. 1846-54. 6 Hall, James. Paleontology. 8 v. 1847-94. 60











3 9088 01300 6820